


<https://glennas.com/coa-finder/>



Order Information

Batch Information

Sample Name:	Persian Triangle	Batch ID:	20250207.1
Sample Type:	Flower	Sample ID:	20250207.1.002
Date Collected:	02/07/2025	Lot No.:	PID-GC241007PET
Report Type:	Compliance	Lot Size:	1255 units
Company Info:	Glenna & Co., Rush, New York (OCM-AUCP-22-000014)		



Heavy Metals Pass	Pesticides Pass	Microbes Pass
Solvents Not Tested	Mycotoxins Pass	Water Activity Pass
Filth Pass	Moisture Pass	Terpenes Pass

OCM Permit No. - OCM-CPL-2022-00012  
ISO/IEC 17025 L25-877

*Brandy Young Jgamana*

3/17/25

MANAGED BY: Brandy Young, PhD (Lab Director)

DATE


Testing results are based solely upon the sample submitted to the lab and in the condition it was received. Certainty Analytical Labs, Corp. warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices, as determined by the New York Office of Cannabis Management (Cannabis Laboratory Quality System Standard, New York State, Office of Cannabis Management, 2023). Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials.  
COA Cover Sheet/Form F\_QCD\_17 /Version 1.1/Effective 21March2025



<https://glennas.com/wp-content/uploads/2025/3/PID-GC241007PET.pdf>








**Certainty**  
License #: OCM-CPL-00012

**Certificate of Analysis**  
Final



---

**Sample #: 12095** **20250207.1.002**

Compound	CAS#	LOQ (%)	%	Relative Concentration
Alpha-bisabolol	515-69-5	0.1000	ND	
Caryophyllene-oxide	1139-30-6	0.1000	ND	
Geraniol	106-24-1	0.1000	ND	
Camphene	79-92-5	0.1000	ND	
Guaiol	489-86-1	0.1000	ND	
Alpha-terpinene	99-86-5	0.1000	ND	
Terpineol	8006-39-1	0.1000	ND	
Fenchol	14575-74-7	0.1000	ND	
Valencene	4630-07-3	0.1000	ND	
Alpha-phellandrene	99-83-2	0.1000	ND	

Test Comment: Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

---

**Foreign Matter by Microscopy** **Pass**

Analysis Date: 03/06/2025 1:47 pm

Compound	LOQ (%)	Limits (%)	Result (%)	Status
% Foreign Matter	0.00100	2.0	ND	Pass
Mammalian Excreta	0.00100	0.03	ND	Pass
Stems	0.00100	5.0	ND	Pass

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

---

**Water Activity** **Pass**

Analysis Date: 03/06/2025 1:47 pm

Compound	LOQ (Aw)	Limits (Aw)	Result (Aw)	Status
Water Activity	0.05	0.65	0.36	Pass

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.


---

**Pesticides by LCMSMS** **Pass**


Analysis Date: 03/11/2025 12:34 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Abamectin	0.0100	0.500	ND	Pass
Acephate	0.0100	0.400	ND	Pass
Acequinocyl	0.0100	2.00	ND	Pass
Acetamiprid	0.0100	0.200	ND	Pass
Aldicarb	0.0100	0.400	ND	Pass
Azadirachtin	0.0100	1.00	ND	Pass
Azoxystrobin	0.0100	0.200	ND	Pass
Bifenazate	0.0100	0.200	ND	Pass
Bifenthrin	0.0100	0.200	ND	Pass
Boscalid	0.0100	0.400	ND	Pass
Captan	0.0100	1.00	ND	Pass
Carbaryl	0.0100	0.200	ND	Pass
Carbofuran	0.0100	0.200	ND	Pass
Chlorantraniliprole	0.0100	0.200	ND	Pass
Chlordane-alpha	0.0100	1.00	ND	Pass
Chlorfenapyr	0.0100	1.00	ND	Pass
Chloromequat Chloride	0.0100	1.00	ND	Pass
Chlorpyrifos	0.0100	0.200	ND	Pass
Clofentazine	0.0100	0.200	ND	Pass
Coumaphos	0.0100	1.00	ND	Pass
Cyfluthrin	0.0100	1.00	ND	Pass
Cypermethrin	0.0100	1.00	ND	Pass
Daminozide	0.0100	1.00	ND	Pass
Diazinon	0.0100	0.200	ND	Pass
Dichlorvos	0.0100	1.00	ND	Pass
Dimethoate	0.0100	0.200	ND	Pass


LOQ= Level of Quantitation, ND= Not Detected, Date Sampled= Date and time sample was collected from client, Date Collected= Date and time sample was received at the laboratory, Date Received= Date and time sample entered the laboratory workflow.  
Results based on single acceptance, not taking into consideration measurement uncertainty.  
If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York  
1809 Vestal Pkwy E  
Vestal, NY 13850  
(807)301-0884  
InfoNY@KeystoneStateTesting.com  
www.KeystoneStateTesting.com  
Permit #: OCM-CPL-00007




Dr. Kelly Greenland, Lab Director




LABWARE GROW  
CULTIVATING COMPLIANCE

Page 2 of 7 Report Date: 03/12/2025 10:11:26AM



**Certainty**  
License #: OCM-CPL-00012

**Certificate of Analysis**  
Final



---


**Sample #: 12095** **20250207.1.002**

**Pesticides by LCMSMS** **Pass**


Analysis Date: 03/11/2025 12:34 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Abamectin	0.0100	0.500	ND	Pass
Acephate	0.0100	0.400	ND	Pass
Acequinocyl	0.0100	2.00	ND	Pass
Acetamiprid	0.0100	0.200	ND	Pass
Aldicarb	0.0100	0.400	ND	Pass
Azadirachtin	0.0100	1.00	ND	Pass
Azoxystrobin	0.0100	0.200	ND	Pass
Bifenazate	0.0100	0.200	ND	Pass
Bifenthrin	0.0100	0.200	ND	Pass
Boscalid	0.0100	0.400	ND	Pass
Captan	0.0100	1.00	ND	Pass
Carbaryl	0.0100	0.200	ND	Pass
Carbofuran	0.0100	0.200	ND	Pass
Chlorantraniliprole	0.0100	0.200	ND	Pass
Chlordane-alpha	0.0100	1.00	ND	Pass
Chlorfenapyr	0.0100	1.00	ND	Pass
Chloromequat Chloride	0.0100	1.00	ND	Pass
Chlorpyrifos	0.0100	0.200	ND	Pass
Clofentazine	0.0100	0.200	ND	Pass
Coumaphos	0.0100	1.00	ND	Pass
Cyfluthrin	0.0100	1.00	ND	Pass
Cypermethrin	0.0100	1.00	ND	Pass
Daminozide	0.0100	1.00	ND	Pass
Diazinon	0.0100	0.200	ND	Pass
Dichlorvos	0.0100	1.00	ND	Pass
Dimethoate	0.0100	0.200	ND	Pass


LOQ= Level of Quantitation, ND= Not Detected, Date Sampled= Date and time sample was collected from client, Date Collected= Date and time sample was received at the laboratory, Date Received= Date and time sample entered the laboratory workflow.  
Results based on single acceptance, not taking into consideration measurement uncertainty.  
If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York  
1809 Vestal Pkwy E  
Vestal, NY 13850  
(807)301-0884  
InfoNY@KeystoneStateTesting.com  
www.KeystoneStateTesting.com  
Permit #: OCM-CPL-00007




Dr. Kelly Greenland, Lab Director




LABWARE GROW  
CULTIVATING COMPLIANCE

Page 3 of 7 Report Date: 03/12/2025 10:11:26AM



**Certainty**  
License #: OCM-CPL-00012

**Certificate of Analysis**  
Final



---

**Sample #: 12095** **20250207.1.002**

**Pesticides by LCMSMS**


Pass

Analysis Date: 03/11/2025 12:34 pm


Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Dimethomorph	0.0100	1.00	ND	Pass
Ethoprophos	0.0100	0.200	ND	Pass
Etofenprox	0.0100	0.400	ND	Pass
Etoazole	0.0100	0.200	ND	Pass
Fenhexamid	0.0100	1.00	ND	Pass
Fenoxycarb	0.0100	0.200	ND	Pass
Fenpyroximate	0.0100	0.400	ND	Pass
Fipronil	0.0100	0.400	ND	Pass
Flonicamid	0.0100	1.00	ND	Pass
Fludioxonil	0.0100	0.400	ND	Pass
Hexythiazox	0.0100	1.00	ND	Pass
Imazalil	0.0100	0.200	ND	Pass
Imidacloprid	0.0100	0.400	ND	Pass
Indolebutyric Acid	0.0100	1.00	ND	Pass
Kresoxim-methyl	0.0100	0.400	ND	Pass
Malathion	0.0100	0.200	ND	Pass
Metalaxyl	0.0100	0.200	ND	Pass
Methiocarb	0.0100	0.200	ND	Pass
Methomyl	0.0100	0.400	ND	Pass
Methyl Parathion	0.0100	0.200	ND	Pass
Mevinphos	0.0100	1.00	ND	Pass
MGK-264	0.0100	0.200	ND	Pass
Myclobutanil	0.0100	0.200	ND	Pass
Naled	0.0100	0.500	ND	Pass
Oxamyl	0.0100	1.00	ND	Pass
Paclobutrazol	0.0100	0.400	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.  
Results based on simple acceptance, not taking into consideration measurement uncertainty.  
If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.


---



Keystone State Testing of New York  
1809 Vestal Pkwy E  
Vestal, NY 13850  
(607)301-0884  
InfoNY@KeystoneStateTesting.com  
www.KeystoneStateTesting.com  
Permit #: OCM-CPL-00007


  

Dr. Kelly Greenland, Lab Director




LABWARE  
GROW  
CULTIVATING COMPLIANCE™

Page 4 of 7 Report Date: 03/12/2025 10:11:26AM



**Certainty**  
License #: OCM-CPL-00012

**Certificate of Analysis**  
Final



---

**Sample #: 12095** **20250207.1.002**

**Pesticides by LCMSMS**

Pass

Analysis Date: 03/11/2025 12:34 pm

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Pentachloronitrobenzene	0.0100	1.00	ND	Pass
Permethrins, Total	0.0100	0.200	ND	Pass
Phosmet	0.0100	0.200	ND	Pass
Piperonyl Butoxide	0.0100	2.00	ND	Pass
Prallethrin	0.0100	0.200	ND	Pass
Propiconazole	0.0100	0.400	ND	Pass
Propoxur	0.0100	0.200	ND	Pass
Pyrethrins Total	0.0100	1.00	ND	Pass
Pyridaben	0.0100	0.200	ND	Pass
Spinetoram Total	0.0100	1.00	ND	Pass
Spinosad Total	0.0100	0.200	ND	Pass
Spiromesifen	0.0100	0.200	ND	Pass
Spirotetramat	0.0100	0.200	ND	Pass
Spiroxamine	0.0100	0.200	ND	Pass
Tebuconazole	0.0100	0.400	ND	Pass
Thiacloprid	0.0100	0.200	ND	Pass
Thiamethoxam	0.0100	0.200	ND	Pass
Trifloxystrobin	0.0100	0.200	ND	Pass

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

---

**Mycotoxins by LCMSMS**


Pass

Analysis Date: 03/11/2025 12:34 pm


Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Aflatoxin B1	0.0050	0.020	ND	Pass
Aflatoxin B2	0.0050	0.020	ND	Pass
Aflatoxin G1	0.0050	0.020	ND	Pass
Aflatoxin G2	0.0050	0.020	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.  
Results based on simple acceptance, not taking into consideration measurement uncertainty.  
If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.


---



Keystone State Testing of New York  
1809 Vestal Pkwy E  
Vestal, NY 13850  
(607)301-0884  
InfoNY@KeystoneStateTesting.com  
www.KeystoneStateTesting.com  
Permit #: OCM-CPL-00007


  

Dr. Kelly Greenland, Lab Director




LABWARE  
GROW  
CULTIVATING COMPLIANCE™

Page 5 of 7 Report Date: 03/12/2025 10:11:26AM



**Certainty**  
License #: OCM-CPL-00012

**Certificate of Analysis**  
Final



---

**Sample #: 12095** **20250207.1.002**

**Mycotoxins by LCMSMS** **Pass**

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Ochratoxin A	0.0050	0.020	ND	Pass
Total Aflatoxin	0.0050	0.020	ND	Pass

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

Analysis Date: 03/11/2025 12:34 pm

---

**Heavy Metals by ICPMS** **Pass**

Compound	LOQ (µg/g)	Limits (µg/g)	Result (µg/g)	Status
Antimony	0.0100	2.00	ND	Pass
Arsenic	0.00100	0.200	0.0163	Pass
Cadmium	0.00150	0.200	0.169	Pass
Chromium	0.280	110	ND	Pass
Copper	0.0750	30.0	18.5	Pass
Lead	0.00250	0.500	0.0646	Pass
Mercury	0.000500	0.100	ND	Pass
Nickel	0.0100	5.00	1.00	Pass

Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.

Analysis Date: 03/07/2025 11:41 am

---


**Micro by Petri & qPCR** **Pass**

Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
Aspergillus flavus Qualitative	1	0	Not Detected	Pass
Aspergillus fumigatus Qualitative	1	0	Not Detected	Pass
Aspergillus niger Qualitative	1	0	Not Detected	Pass
Aspergillus terreus Qualitative	1	0	Not Detected	Pass
Salmonella Qualitative	1	0	Not Detected	Pass
Shiga Toxin-Producing E. coli Qualitative	1	0	Not Detected	Pass
Total Aerobic Bacteria	10	4000	Pass	Pass
Total Yeast & Mold	10	<LOQ	Pass	Pass


LOQ= Level of Quantitation, ND= Not Detected, Date Sampled= Date and time sample was collected from client, Date Collected= Date and time sample was received at the laboratory, Date Received= Date and time sample entered the laboratory workflow.  
Results based on simple acceptance, not taking into consideration measurement uncertainty.  
If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.

Analysis Date: 03/07/2025 12:04 pm


---



Keystone State Testing of New York  
1809 Vestal Pkwy E  
Vestal, NY 13850  
(607)301-0884  
InfoNY@KeystoneStateTesting.com  
www.KeystoneStateTesting.com  
Permit #: OCM-CPL-00007



Dr. Kelly Greenland, Lab Director



---

Page 6 of 7 Report Date: 03/12/2025 10:11:26AM



**Certainty**  
License #: OCM-CPL-00012

**Certificate of Analysis**  
Final



---

**Sample #: 12095** **20250207.1.002**

Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed.  
Due to COA validation limitations: "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence". "Passed" for an adult-use product implies the results contain less than 1,000,000 cfu/g.

---



Keystone State Testing of New York  
1809 Vestal Pkwy E  
Vestal, NY 13850  
(607)301-0884  
InfoNY@KeystoneStateTesting.com  
www.KeystoneStateTesting.com  
Permit #: OCM-CPL-00007



Dr. Kelly Greenland, Lab Director



---

Page 7 of 7 Report Date: 03/12/2025 10:11:26AM